## Bax mAb



产品货号	产品名称	产品规格	贮存条件
P02A100S	Bax mAb	20 µ L	-20℃, 1 year
P02A100M	Bax mAb	50 µ L	-20℃, 1 year
P02A100L	Bax mAb	100 µ L	-20℃, 1 year

[Immunogen] A synthetic peptide corresponding to aal-100(C-Terminal)

of Bax.

**(Source)** Rabbit

[Reactivity] Human, Rat, Mouse

(M. W) 21 kDa

**Purification** The antibody was affinity-purified by protein A.

**Formulation** Liquid in PBS containing 40% glycerol, 0.05% BSA and 0.01%

sodium azide.

K3P

[Application] WB, IHC-P, IP, FC

**[Dilution]** WB (1:1000-2500) FC(1:100-400)

IHC-P (1:1500-3000) IP 1:25

**Stable** for one year at -20℃ from date of shipment.

Aliquot to avoid repeated freezing and thawing.

[Background] The protein encoded by BAX (BCL2 associated X, apoptosis

regulator) belongs to the BCL2 protein family. This protein forms a heterodimer with BCL2, and functions as an apoptotic activator. This protein is reported to interact with, and increase the opening of, the mitochondrial voltage-dependent anion channel (VDAC), which leads to the loss in membrane potential and the release of cytochrome c. The expression of this gene is regulated by the tumor suppressor P53 and has been shown to be involved in P53-mediated apoptosis.

## (Associated Product)

货号	产品名称	规格
P02A201	Caspase 3	100uL
P02A203	CREB1	100uL
P02A403	ERK 1	100uL
P02A404	ERK 2	100uL

Version: 20190311 (第一版)

